6. REFERENCE:

- Agrawal P, Ghosh AN, Kumar S, Basu B, Kapila K. (2008) Prevalence of extended-spectrum beta-lactamases among Escherichia coli and Klebsiella pneumoniae isolates in a tertiary care hospital. Indian J PatholMicrobiol, 51(1): 139 – 142.
- Anandkumar H, Srinivasa H, Kodliwadmath S, Raksha R. (2011) Symptomatic and asymptomatic urinary tract infection by Escherichia coli among pregnant women attending outpatient clinic of obstetrics and gynecology. J Pure ApplMicrobiol, 5(4): 717 – 723.
- Balaji K, Okonjo PA, Thenmozhi R, KaruthaPandian S. (2013) Virulence and multidrug resistance patterns of Vibrio cholerae O1 isolates from diarrheal outbreaks of South India during 2006–2009. Microb Drug Resist; 19: 198 – 203.
- Bandekar N, Vinodkumar C.S, Basavarajappa K.G, Prabhakar P.J and Nagaraj P. (2011) Bacteriology and antibiogram of burn infection at a Tertiary Care Center. J Pure ApplMicrobiol, 5(2):781 – 786.
- Bishara J, Goldberg E, Leibovici L, Samra Z, Shaked H, Mansur N (2012) Healthcare-associated vs. hospital-acquired Staphylococcus aureus bacteremia. Int J Infect Dis, 16(6): e457 – e463.
- Chande CA, Shrikhande SN, Jain DL, Kapale S, Chaudhary H, Powar RM. (2009) Prevalence of methicillin-resistant Staphylococcus aureus nasopharyngeal carriage in children from urban community at Nagpur. Indian J Public Health, 53(3):196 – 198.
- Chen YH, Hsueh PR, Badal RE, Hawser SP, Hoban DJ, Bouchillon SK et al. (2011) Antimicrobial susceptibility profiles of aerobic and facultative Gram-negative bacilli isolated from patients with intra-abdominal infections in the Asia-Pacific region according to currently established susceptibility interpretive criteria. J Infect, 62 (4): 280 – 291.
- Datta S, Wattal C, Goel N, Oberoi JK, Raveendran R, Prasad KJ. (2012) A ten year analysis of multi-drug resistant blood stream infections caused by Escherichia coli &Klebsiella pneumoniae in a tertiary care hospital. Indian J Med Res, 135 (6): 907 – 912.

- Day M. (1998) Bacteriocins and bacteriophages. In: Collier L, Balows A, SussmanM, editors. Topley& Wilson's microbiology and microbial infections. London: Arnold. 9 (2): 185 – 193.
- D'Costa VM, King CE, Kalan L, et al. (2011) Antibiotic resistance is ancient. Nature. 477 (7365): 457 – 461.
- Dubey D, Dubeya D, Ratha S, Sahua MC, Pattnaikb L, Debataa NK et al. (2013) Surveillance of infection status of drug resistant Staphylococcus aureus in an Indian teaching hospital. Asian Pac J Trop Med, 3(2):133 – 142.
- Ganguly NK (2011) Situation analysis, Antibiotic use and resistance in India. Public health foundation of India 1 – 74.
- Ganguly NK, Arora NK, Chandy SJ, et al, (2011) for the Global Antibiotic Resistance Partnership (GARP)–India Working Group. Rationalizing antibiotic use to limit antibiotic resistance in India. Indian J Med Res 134: 281 – 94.
- Garg PK, Khanna S, Bohidar NP, Kapil A, Tandon RK. (2001) Incidence, spectrum and antibiotic sensitivity pattern of bacterial infections among patients with acute pancreatitis. J GastroenterolHepatol. 16: 1055 – 1059.
- Ghafur A, Mathai D, Muruganathan A, et al. (2013) The Chennai Declaration: a roadmap to tackle the challenge of antimicrobial resistance. Indian J Cancer. 50: 71 – 73.
- Goldmann DA, Weinstein RA, Wenzel RP, Tablan OC, Duma RJ, Gaynes RP, et al. (1996) Strategies to prevent and control the emergence and spread of antimicrobial - resistant microorganisms in hospitals. A challenge to hospital leadership. JAMA. 275: 234 – 240.
- Gustafson RH, Bowen RE. (1997) Antibiotic use in animal agriculture. J ApplMicrobiol. 83: 531 – 541.
- Jombo GTA, Akpan S, Epoke J, DenenAkaa P, Eyong KI, Gyuse AN. (2010) Antimicrobial susceptibility profile of community acquired and nosocomial isolates of Escherichia coli from clinical blood culture specimens at a Nigerian university teaching hospital. Asian Pac J Trop Med, 662 – 665.
- Kapil A. (1998) Hospital acquired infections. Trop Gastroenterol. 19 : 127 – 129 .

- Kapil A. (2005) The challenge of antibiotic resistance: Need to contemplate. Indian J Med Res 121, 83 – 91.
- Kaplan JM, Goretski SA, Keith S, Calford L. (1990) Cost of antibiotic therapy for infants and children. Pediatr Infect Dis J. 9: 722 – 728.
- KounteyaSinha (2014) India is the world's largest consumer of antibiotics, Times of India. Jul 14.
- Kumar A, Rajiah K, Chandrasekhar S (2012) Antibiotics surveillance: a survey on the susceptibility of microorganisms to antibiotics in respiratory tract infections. IJPPS 4,(4), 181 – 185.
- Kumar S, Joseph N, Easow J, Singh R, Umadevi S, Pramodhini S et al. (2012) Prevalence and current antibiogram of staphylococci isolated from various clinical specimens in a tertiary care hospital in Pondicherry. Internet J Microbiol, 10(1), 1 – 10.
- Kumar, R, P. K. Surendran, and N. Thampuran. (2009). Analysis of antimicrobial resistance and plasmid profiles in Salmonella serovars associated with tropical seafood of India. Foodborne Pathog Dis 6(5): 621 – 625.
- Kumarasamy KK, Toleman MA, Walsh TM, et al. (2010) Emergence of a New Antibiotic Resistance Mechanism in India, Pakistan, and the UK: A Molecular, Biological, and Epidemiological Study. Lancet Infect Dis. 10(9): 597 – 602.
- Kunin CM, Tupasi T, Craig WA. (1973) Use of antibiotics. A brief exposition of the problem and some tentative solutions. Ann Intern Med79: 550 – 560.
- Kunin CM. (1993) Resistance to antimicrobial drugs - a worldwide calamity. Ann Intern Med. 118: 557 – 561.
- Lee C, Cho IH, Jeong BC and Lee SH. (2013) Strategies to Minimize Antibiotic Resistance. Int. J. Environ. Res. Public Health.10, 4274 – 4305.
- Levy SB. (2001) Antibacterial household products: cause for concern. Emerg Infect Dis. 7 (3): 512 – 515.
- Manna SK, Brahmane M. P, Manna C, Batabyal K, and Das R. (2006). Occurrence, virulence characteristics and antimicrobial resistance of Escherichia coli O157 in slaughtered cattle and diarrhoeic calves in West Bengal, India. LettApplMicrobiol 43(4): 405 – 409.

- Mathai, E, Chandy S, Thomas K, Antoniswamy B, Joseph I, Mathai M, Sorensen T.L, Holloway K. (2008). Antimicrobial resistance surveillance among commensal Escherichia coli in rural and urban areas in Southern India. Trop Med Int Health 13 (1): 41 – 45.
- Mathur P, Kapil A, Das B, Dhawan B. (2002) Prevalence of extended spectrum b- lactamase producing gram negative bacteria in a tertiary care hospital. Indian J Med Res. 115: 153 – 157.
- Monjur F, Rizwan F, Asaduzzaman M, Nasrin N, Ghosh N K, Apu A S, Haque F (2010) Antibiotic sensitivity pattern of causative organisms of neonatal septicemia in an urban hospital of Bangladesh. Indian J Med Sci 64: 265 – 271.
- Neu HC. (1992) The crisis in antibiotic resistance. Science 257 (5073): 1064 – 1073.
- Niranjan V, Malini A. (2014) Antimicrobial resistance pattern in Escherichia coli causing urinary tract infection among inpatients. Indian J Med Res 139: 945 – 948.
- Opal SM, Mayer KH, Medecros AA. (2000) Mechanisms of Bacterial Resistance. In: Mandell GL, Bennetl JE, Dolin R, editors. Principles and practice of infectious diseases. New York, USA: Churchill Livingstone. 5 (2): 236 – 253.
- Paterson DL. (2006) The role of antimicrobial management programs in optimizing antibiotic prescribing within hospitals. Clin Infect Dis 42 (2): 90 – 95.
- Peters NK, Dixon DM, Holland SM, Fauci AS. (2008) The research agenda of the National Institute of Allergy and Infectious Diseases for antimicrobial resistance. The Journal of infectious diseases. 197 (8): 1087 – 1093.
- Rajaduraipandi K, Mani KR, Panneerselvam K, Mani M, Bhaskar M, and Manikandan P. (2006) Prevalence and antimicrobial susceptibility pattern of methicillin resistant Staphylococcus aureus: a multicentre study. Indian J Med Microbiol 24(1): 34 – 38.
- Rice LB, Bonomo RA. (1996) Genetic and biochemical mechanisms of bacterial resistance to antimicrobial agents. In: Lorian V, editor.

Antibiotics in laboratory medicine. Baltimore, USA: Willims& Wilkins; 4: 453 – 501.

- Rosenthal VD, Guzman S, Pezzotto SM, and Crnich CJ. (2003) Effect of an infection control program using education and performance feedback on rates of intravascular device associated bloodstream infections in intensive care units in Argentina. Am J Infect Control 31(7): 405 – 409.
- Sinha P, Sharma R, Rishi S, Sood S, Pathak D. (2008) Prevalence of extended spectrum beta lactamase and Amp C beta lactamase producers among Escherichia coli isolates in a tertiary care hospital in Jaipur. Indian J PatholMicrobiol, 51(3): 367 – 369.
- Suri A, Mahapatra AK, Kapil A. (2000) Acinetobacter infections in neurosurgical intensive care patients. Nat Med J India. 13: 296 – 300.
- Varaiya AY, Dogra JD, Kulkarni MH, Bhalekar PN. (2008) Extended-spectrum beta-lactamase-producing Escherichia coli and Klebsiella pneumoniae in diabetic foot infections. Indian J PatholMicrobiol, 51(3): 370 – 372.
- Willis C, Booth H, Westacott S, Hawtin P. (1999) Detection of antibacterial agents in warm water prawns. Commun Dis Public Health. 2: 210 – 214.
- Willis C. (2000) Antibiotics in the food chain: their impact on the consumer. Rev Med Microbiol. 11: 153 – 160.